



GAS STOVES



regency-fire.com

WHY CHOOSE REGENCY?

For the past 40+ years Regency has been focused on creating innovative, high-quality and reliable products that reduce heating costs and add true value to the home. We design all our products to be durable and last a lifetime so that our customers can enjoy them for years to come.

HIGH-QUALITY

Producing a high-quality product has been at the very heart of what we do from when that very first stove rolled off the production line over 40 years ago to today. We are ever-focused on producing quality products for our customers that will last for years to come.

BEST WARRANTY

A fireplace should be reliable and should work right the first time it is used, and the 1,000th. A core part of our business is making sure that we are building long-lasting, durable, high-quality products; we back-up that commitment with the industry's best warranty on all our products.

COST-EFFICIENT

Never before have home heating costs been higher. Turn your furnace way down and zone heat with our beautiful, reliable and convenient Regency products. Not only can you cut your fuel bills in half, but you'll be able to enjoy the timeless comfort of a Regency fire.

Why Regency? Because it's *more* than a fireplace!



TABLE OF CONTENTS

Atmosphere Gas Stoves	
GS33 & GS33E	04
Regency Contura Gas Stove	
RC500E	06
Regency Hampton Gas Stoves	08
H15E, H27E, H35E	
H15U, H27U, H35U	
Regency Classic™ Gas Stoves	
C34 & C34E	10
Regency Ultimate™ Gas Stove	
U38	11
Specifications	12
Accessories	15



REGENCY ATMOSPHERE GS33 • GS33E

Medium Gas Stoves



GS33E shown with birch log set, black reflective inner panels and legs.

THE INFUSION BURNER, NOW FREESTANDING

Our signature Infusion Burner Technology makes its bold debut in our stunning new freestanding stove. With a dramatic three-sided view and flames designed to captivate, this sleek centerpiece is made to impress from every angle. Elevate your space with the perfect balance of cutting-edge innovation and timeless style.

SPECIFICATIONS	NATURAL GAS	PROPANE
Maximum BTU	38,000	36,000
Turn down to (BTU)	26,000	29,000
Efficiency (steady state)	67.77%	65.92%
EnerGuide rating (Canada only)	58.58%	57.58%

NEW



GS33E shown with driftwood log set, black fluted inner panels and pedestal base.

STANDARD FEATURES

- Infusion Burner Technology – lifelike flames that wrap around handcrafted logs
- Ember bed lighting for extra glow even when the fire is turned off
- 3-Sided view with built in Invisimesh safety screen
- Electronic Ignition with Proflame II Remote Control
- Standing Pilot System with accessible control panel (GS33 only)*
- Variable speed blower with manual control dial (GS33 only)*
- Variable speed blower
- Battery back up system keeps the heat on in the event of a power outage

OPTIONS

- Log options: Oak, Driftwood, Birch and High definition (Must purchase one)
- Inner panels: Black reflective or Black Fluted
- Legs or Pedestal base with removable front panel (Must purchase one)
- Proflame remote control with optional stepper motor (GS33 only)*
- Wifi Kit compatible for use with Proflame Connect (GS33E only)
- Propane conversion kit
- Vertical or horizontal direct vent terminations

*Available in the U.S. only

REGENCY CONTURA RC500E

Medium Gas Stove



RC500E shown in black cast with volcanic stones and rear venting (unit shown without mandatory safety screen).

3-SIDED GAS STOVE

The Regency Contura RC500E gas stove boasts a sleek and fresh design that compliments any contemporary space. The fire is presented in a curved 3-sided panoramic view where clean lines and monochrome colors serve to emphasize the tall and radiant flames. Available in black or white, you can customize this modern gas stove with a bed of crushed glass, volcanic stones or a traditional log.

SPECIFICATIONS	NATURAL GAS	PROPANE
Maximum BTU	23,000	22,000
Turn down to (BTU)	16,000	18,000
Efficiency (steady state)	67.13%	66.85%
EnerGuide rating (Canada only)	60.38%	61.42%



RC500E shown in white cast with glass door & top with traditional logs and top venting (unit shown without mandatory safety screen).

STANDARD FEATURES

- View the stunning flame from three sides
- Interior lights for added ambiance
- Variable speed blower
- Natural gas
- Safety screen
- Electronic ignition with remote control
- Modulating flame adjustment
- Battery back up system keeps the heat on in the event of a power outage
- Direct vent
- Reversible flue for top or rear venting

OPTIONS

- Available in black cast or white with glass door & top
- Your choice of crystals, volcanic stones or traditional logs
- Propane conversion kit
- AstroCap® venting system
- Vertical or horizontal direct vent terminations



RC500E shown with safety screen

REGENCY HAMPTON H15 • H27 • H35

Small, Medium & Large Gas Stoves



H27 shown with decorative glass grille in charcoal gray finish.

HIGH-EFFICIENCY HEAT

Our Hampton series of gas stoves combines the timeless charm of cast iron stoves with unmatched fire and log packages for a truly stunning experience. Enjoy the ultimate convenience of instant gas fire at the touch of a button with the mesmerizing view of tall flames in a freestanding cast iron stove. Available in three sizes, Hampton gas stoves bring warmth to your home while providing high efficiency heat to save money on heating bills.

SPECIFICATIONS (NATURAL GAS)	H15 SMALL	H27 MEDIUM	H35 LARGE
Maximum BTU	18,000	25,000	30,000
Turn down to (BTU)	12,700	18,000	21,500
Efficiency (steady state)	61.97%	67.63%	75.27%
EnerGuide rating (Canada only)	55.33%	61.22%	70.86%

SPECIFICATIONS (PROPANE)	H15 SMALL	H27 MEDIUM	H35 LARGE
Maximum BTU	18,000	22,000	29,500
Turn down to (BTU)	15,500	17,500	24,000
Efficiency (steady state)	63.69%	66.51%	75.77%
EnerGuide rating (Canada only)	57.46%	63.07%	71.97%



H35 shown with decorative glass grille in cream enamel finish.

STANDARD FEATURES

- Natural Gas
- Accent light
- ProFlame II remote control (GTMFL)
- Thermostat (built into remote)
- Modulating flame adjustment
- Light
- Safety screen
- Cast grille
- Ceramic glass
- Reversible flue for top or rear venting

OPTIONS

- Charcoal gray, enamel cream or enamel timberline brown finish
- Brick panels in red or brown (H35)
- Variable speed blower
- Wall thermostat
- AstroCap® venting system
- Color match vent paint (select models)
- Propane conversion kit
- Standing pilot models available in select regions

COLOUR OPTIONS

UNIT

Charcoal Gray	H15E, H15U, H27E, H27U, H35E, H35U
Enamel Cream	H15E, H35E
Enamel Timberline Brown	H15E, H27E, H35E

REGENCY CLASSIC™ C34 • C34E

Small Gas Stove



C34 shown with black legs, black door and safety screen.

CLASSIC FIRE

The Regency Classic gas stoves seamlessly blends the classic aesthetics of wood stoves with the modern convenience of gas. These stoves do not require an existing chimney and can be installed with a direct vent to use outside air for combustion, allowing your home to maintain an everlasting cozy ambiance. This Classic series, like all Regency gas stoves, operates safely without electricity - keeping you warm with radiant heat.

SPECIFICATIONS (NATURAL GAS)	C34	C34E
Maximum BTU	32,000	32,000
Turn down to (BTU)	21,000	21,000
Efficiency (steady state)	71.68%	71.68%
EnerGuide rating (Canada only)	n/a	64.89%

SPECIFICATIONS (PROPANE)	C34	C34E
Maximum BTU	29,000	29,000
Turn down to (BTU)	23,000	23,000
Efficiency (steady state)	72.02%	72.03%
EnerGuide rating (Canada only)	n/a	65.82%

STANDARD FEATURES

- Natural gas or propane
- Beautiful fire with glowing logs
- Safety screen
- Flame height adjustment
- Millivolt system with Proflame remote control (C34)
- Electronic Ignition with Proflame II remote control (C34E)
- Direct Vent
- Convector Airmate
- Heavy-duty ceramic safety glass
- Battery back up system keeps the heat on in the event of a power outage

OPTIONS

- Wall thermostat
- Variable speed blower
- Black steel pedestal base
- Cast iron door in black** or nickel accent
- Cast iron legs in brushed nickel or black
- Bottom heat shield (when using legs)
- AstroCap® venting system
- Vertical or horizontal direct vent terminations

** Black doors come with black wood handles & black hinge caps

REGENCY ULTIMATE™ U38

Medium Gas Stove



U38 shown with wrap around black door, black louvers and oak log set (unit shown without mandatory safety screen).

MODERN FIRE

The Ultimate U38 Gas Stove is framed with clean, modern lines that provide exceptional views of a stunning fire accentuated by the wraparound design to enhance your enjoyment of the flames. With controllable heat settings, your Ultimate fire can be set to the maximum to provide high efficiency or turned down to maintain ambiance with less heat.

SPECIFICATIONS (NATURAL GAS)	U38
Maximum BTU	38,000
Turn down to (BTU)	26,000
Efficiency (steady state)	71.63%
EnerGuide rating (Canada only)	63.94%

SPECIFICATIONS (PROPANE)	U38
Maximum BTU	34,000
Turn down to (BTU)	27,500
Efficiency (steady state)	71.71%
EnerGuide rating (Canada only)	64.59%

STANDARD FEATURES

- Natural gas
- Safety screen
- Flame height adjustment
- Millivolt system with proflame remote control
- B-vent
- Black steel pedestal
- Variable speed blower
- 1-piece wrap around door in black
- Battery back up system keeps the heat on in the event of a power outage

OPTIONS

- Choose between natural oak or driftwood logs
- Brushed nickel or black louvers
- Wall thermostat
- BTU reduction kit
- Propane conversion kit




U38 shown with safety screen

SPECIFICATIONS


DIMENSIONS

GS33




DIMENSIONS		
A	Flue center back	6-7/16"
B	Overall depth	18-13/16"
C	Overall width	28-11/16"
D	Flue center side	14-5/16"
E	Overall height	36-15/16"
F	Stove height	34-3/16"
G	Stove width	28-1/4"
H	View area width	21-5/8"
I	View area height	14-1/4"
J	View area width	7-1/2"
K	Stove height	25"
L	Pedestal height	9-3/16"
M	Stove depth	17-5/8"
N	Opening center height	11-1/16"
O	Opening center height	3-3/16"
P	Opening center side	7-1/8"

RC500E



H15, H27, H35




	H15	H27	H35
A	20-11/16"	24-9/16"	27-1/2"
B	23-1/8"	27-3/16"	28-1/8"
C	14-1/4"	15-5/8"	21-3/16"
D	17-13/16"	18-13/16"	22-13/16"
Shipping Weight	198 lbs	227 lbs	322 lbs


SPECIFICATIONS

DIMENSIONS

C34E




U38




VENTING OPTIONS


GS33




RC500E




H15, H27, H35



C34




U38



* The H15 can be vented horizontally with the AstroCap® system.
 For rear vent applications, H27 and H35 require a riser vent.
 ** H35 requires minimum 1 ft. rise.


CLEARANCES

CLEARANCES - GS33




CLEARANCES TO COMBUSTIBLES		
A	Side wall to unit	12"
B	Back wall to unit	4"
C	Back wall to side wall front	23"
D	Alcove Width	84"
E	Side wall to unit corner	4"
F	Back wall to flue centerline	10-7/16"
G	Side wall to flue centerline	26-5/6"
H	Back wall corner to flue centerline	23-1/16"
I	Side wall to flue centerline	16-5/16"

CLEARANCES - RC500E



CLEARANCES		
A	Left/Right Side Wall to Unit	9"
B	Back Wall to Unit	2"
C	Vertical Vent Pipe to Back Wall	2"
D	Wall to Centerline of Pipe	8-3/4"
E	Unit Corner to Wall (Top Vent)	4"
	Unit Corner to Wall (Rear Vent)	5-3/4"
F	Alcove Width	50"
G	Alcove Depth	36"
H	Minimum Ceiling from Top of Unit	15"

CLEARANCES - H15, H27, H35




CLEARANCES TO COMBUSTIBLES	H15	H27	H35
A - Side Wall To Unit	6"	6"	6-1/2"
B - Back Wall To Unit	0"*	3"	6"
C - Vertical Vent to Back Wall	2"	2"	2"
D - Side Wall To Unit (Corner)	2"	2"	2"

Minimum clearance of vent terminal to outside corner and inside corner: AstroCap® 6", Dura-Vent Cap 12".

*It is recommended that the unit is moved away from wall, if installing the blower option so the fan can be easily installed/serviced.

CLEARANCES TO COMBUSTIBLES - U38 & C34



CLEARANCES TO COMBUSTIBLES	U38 B-VENT	C34 DV
A - Side Wall To Unit	7-1/2"	10"
B - Back Wall To Unit	6"	6"
C (corner) - Side Wall to Unit	2"	1-1/2"

B* - Rear wall clearance is a temperature issue and necessary for drafting purposes.

Do not reduce clearance under any circumstances.

OPTIONS

FEATURES & ACCESSORIES		GS33	GS33E	RC500E	H15U	H15E	H27U	H27E	H35U	H35E	C34	C34E	U38
Standing Pilot*		✓	•	•	✓	•	✓	•	✓	•	✓	•	✓
Electronic Ignition		•	✓	✓	•	✓	•	✓	•	✓	•	✓	•
Handheld Remote GTMF		•	✓	✓	•	✓	•	✓	•	✓	✓	✓	✓
Handheld On/Off Thermostat Remote		★	•	•	**910-399	•	**910-399	•	**910-399	•	•	•	•
On/Off Switch		✓	✓	•	✓	•	✓	•	✓	•	•	•	•
Flame Modulation		✓	✓	✓	manual	✓	manual	✓	manual	✓	✓	✓	✓
Stepper Motor		★	✓	✓	•	✓	•	✓	•	✓	✓	✓	✓
Fan Kit		✓	✓	✓	★	★	★	★	★	★	★	★	✓
Fan Control		manual	remote	remote	manual	remote	manual	remote	manual	remote	remote	remote	remote
Wall Thermostat	Basic - 911-138	★	★	★	★	★	★	★	★	★	★	★	★
	Programmable - 910-404/p	★	★	★	★	★	★	★	★	★	★	★	★
Wifi Control Kit		•	★	•	•	•	•	•	•	•	•	•	•

• Not available ✓ Standard ★ Optional

*Standing Pilot models available in select regions.

COMFORT CONTROLS



Fire Genie Remote



Proflame remote



Proflame II remote



Programmable Wall Thermostat

Turn your fire on and off with our comfort remote controls. They can be used as a thermostat, allowing you to set and automatically maintain the desired temperature no matter where in the room you are sitting.

A Regency wall thermostat is a hands-free solution that helps you maintain a constant temperature in your home. Choose the programmable wall thermostat and set different temperatures throughout the day to match your lifestyle.

MAXIMIZING COMFORT AND EFFICIENCY

Direct vent technology allows you to install a Regency stove almost anywhere in your home - no chimney is needed. From the top of the unit, simply vent your stove through an exterior wall. Direct vent units have a sealed combustion chamber; outside air is used for combustion resulting in a warmer home and improved indoor air quality.


ENJOY YOUR REGENCY — FOR LIFE

You'll be happy with your Regency for years to come; our Limited Lifetime Warranty guarantees it. Not only have we invested in quality workmanship, the finest materials, and durable, heavy-duty construction, but we have carefully selected a dealer network that is committed to your satisfaction. We know that you will be as proud of your Regency as we are.





Find More Products at [REGENCY-FIRE.COM](https://www.regency-fire.com)



Your Regency Dealer

© 2026 FPI Fireplace Products International Ltd. Regency®, Regency Ultimate™, Regency Classic™, Hampton®, Contura™ and AstroCap® are the registered and/or proprietary trademarks of FPI Fireplace Products International Ltd.

Printed in Canada (03/26) Part no. 944-220

Version No: 2026-1