



△ ATMOSPHERE COLLECTION

Elevated Ambiance: Experience the Peak of Realism, Innovation, and Quality



regency-fire.com/atmosphere



Gi29LU shown with flush 3-sided faceplate, reflective black glass inner panels, and oak log set.

GAS INSERTS REDEFINED

Experience The Most Realistic Fire

Re-defining what's possible with a gas insert; introducing the all-new Regency Atmosphere Gi29. The first of our next generation of gas fireplace inserts, Gi29 has been designed from the ground up to fit into more spaces, deliver an industry-leading viewing area and provide unmatched views of our new revolutionary patent-pending infusion burner technology.

Mix & match accessories with almost 450 different combinations of accessories, making the Gi29 our most flexible and stunning gas insert ever!

Elevate realism & elevate your expectations of a gas insert with the all-new Atmosphere collection from Regency.

EXPERIENCE THE
Gi29 (VIDEO):



IMAGE ON COVER: Gi29LE shown with a regular faceplate with premium sunset bronze surround, volcanic black brick inner panels, and oak log set.



Gi29LE shown with 3-sided finishing trim, herringbone inner panels, and driftwood log set.

INFUSION BURNER

Featuring Our Latest Technology

Inspired by nature and fueled by innovation, Regency's new patent-pending infusion burner technology delivers an unparalleled realistic flame and log set. Homeowners can now truly enjoy the look and feel of a traditional wood fire at the touch of a button.

By reimagining what's possible, Regency designers have replicated the beauty of a real wood fire by infusing the burners into the log set, creating a natural burning log effect for the **most natural gas insert** available. Unmatched by any traditional burner, the Infusion Burner will elevate the standard for Gas Inserts.



Gi29LE shown with a regular faceplate, premium white surround, painted black inner panels, and birch log set.

Gi29 GAS INSERT

Regency's Most Advanced Gas Insert

Experience the most realistic gas fireplace insert available. The all-new Gi29 is designed to fit into more homes and provide a class-leading viewing area, so you **see more of what matters - the fire**. Our all-new patent-pending infusion burner technology creates a burning log look so realistic your guests will have a hard time telling whether it's wood or gas!

FEATURES

- NEW: innovative, patent-pending infusion burner with oak, birch, or driftwood logs
- Available in both Standing Pilot and Electronic Ignition models
- Invisimesh safety screen for a clear view of the fire
- Ember bed lighting for a realistic glow (Electronic Ignition model only)
- Multiple faceplate styles available in various finishes



Gi29LU shown with 3-sided finishing trim, oversized backing plate, castlestone brick inner panels, and oak log set.

Gi29 ACCESSORIES

Different Combinations Available

Mix & match accessories with almost 450 different combinations of accessories to create the look you desire. Our most flexible gas insert ever, the Gi29's modular accessory system, allows you to customize your fireplace to suit your home and décor.

FRONT OPTIONS



3-sided & 4-sided Finishing Trim



Regular Faceplate with Premium Sunset Bronze Surround



Flush 3-Sided Faceplate



Flush 4-Sided Faceplate



Flush Faceplate with Traditional Surround

PREMIUM SURROUNDS



Black



White



Sunset Bronze



Grey



Brushed Nickel



Black



Brushed Antique Copper

TRADITIONAL SURROUNDS

INTERIOR PANEL OPTIONS



Brown Brick



Herringbone Brick



Castlestone Brick



Volcanic Black Brick



Painted Black



Reflective Black Glass

FIREBED OPTIONS



Oak Log Set



Birch Log Set



Driftwood Log Set

BACKING PLATES



Custom 3-sided



Custom 4-sided



Oversized

Gi29 SPECIFICATIONS

3 Options Available

UNIT TYPE	BTU	TURN DOWN	EFFICIENCY	ENERGUIDE RATING	VIEWING AREA
Gi29L Standing Pilot 821 (Canada Only)	31,500	17,000	71.7% NG 70.2% LP	63.88% NG 62.33% LP	24-1/8" w x 15" h (362 sq in)
Gi29LU Standing Pilot 820 (US Only)	31,500	17,000	71.7% NG 70.2% LP	--	
Gi29LE Electronic Ignition	31,500	17,000	71.7% NG 70.2% LP	63.88% NG 62.33% LP	

ACCESSORIES		Gi29L STANDING PILOT 821 (CANADA ONLY)	Gi29LU STANDING PILOT 820 (US ONLY)	Gi29LE ELECTRONIC IGNITION
Ceramic Glass		✓	✓	✓
Proflame II Remote Control		·	·	✓
On/Off Remote Control with Thermostat - 946-704		★	✓	·
Blower (with Fan Speed Control) - 311-979		★	✓	✓
Emberbed Lights		·	·	✓
Inner Panels (must choose 1)	Brown Brick - 311-901	★	★	★
	Herringbone Brick - 311-903	★	★	★
	Castlestone Brick - 311-904	★	★	★
	Volcanic Black Brick - 311-905	★	★	★
	Reflective Black Glass - 311-906	★	★	★
	Painted Black - 311-907	★	★	★
Faceplates with Safety Screen (must choose 1)	Regular - 311-910	★	★	★
	Flush 3-Sided - 311-912	★	★	★
	Flush 4-Sided - 311-913	★	★	★
	3-Sided Finishing Trim - 311-914	★	★	★
	4-Sided Finishing Trim - 311-915	★	★	★
Premium Surrounds	Black - 311-920	★	★	★
	Grey - 311-921	★	★	★
	White - 311-922	★	★	★
	Sunset Bronze - 311-923	★	★	★
	Brushed Nickel - 311-924	★	★	★
Traditional Surrounds	Black - 311-927	★	★	★
	Brushed Antique Copper - 311-928	★	★	★
Backing Plates	Oversized - 311-936	★	★	★
	Custom 3-Sided - 311-937	★	★	★
	Custom 4-Sided - 311-938	★	★	★
Media (must choose 1)	Driftwood Log Set - 311-930/P	★	★	★
	Birch Log Set - 311-931	★	★	★
	Oak Log Set - 311-934	★	★	★
	*Log Grate/Ember Media - 311-935 (Must order when purchasing either oak or Birch log set)	★	★	★
Wall Thermostat	Basic - 910-407	★	★	★
	Programmable - 910-404/P	★	★	★
Mantel Deflector - 311-940		★	★	★
Adjustable Hearth Trim - 311-941		★	★	★
Propane Conversion Kit		★	★	★

· Not available



✓ Standard

★ Optional



NOTE: The premium surrounds may only be used on the regular faceplate (311-910) and the traditional surrounds on the flush 3-sided faceplate (311-912).

Gi29 DIMENSIONS

Three-Sided Faceplate




Four-Sided Faceplate




FACEPLATE	DIMENSIONS			
	A - WIDTH	B - HEIGHT	C - DEPTH	D - BOTTOM HEIGHT
Regular Faceplate	40-3/16"	26"	1-1/4"	--
Regular Faceplate w/ Premium Surround	40-13/16"	26-3/8"	1-11/16"	--
3-Sided Flush Faceplate	40-3/16"	26"	1/8"	--
4-Sided Flush Faceplate	40-3/16"	29-1/4"	1/8"	4-3/16"
Screen with 3-Sided Finishing Trim	31-7/8"	21-7/8"	1/16"	--
Screen with 4-Sided Finishing Trim	31-7/8"	23-1/8"	1/16"	1-1/8"
Oversized Backing Plate	47-1/2"	31-1/2"	1/8"	--
3-Sided Custom Backing Plate	33-7/8" - 56-7/8"	22-7/8" - 44-7/8"	1/8"	--
4-Sided Custom Backing Plate	33-7/8" - 69"	25-1/8" - 45"	1/8"	2-1/8" minimum
Flush Faceplate w/Traditional Surround	45-3/4"	28-3/4"	2-1/4"	--

MINIMUM FIREPLACE DIMENSIONS



DIMENSIONS						
A - HEIGHT	B - MAX. LINTEL BAR DEPTH	C - DEPTH	D - DAMPER OPENING	E - FRONT DEPTH TO TAPER	F - WIDTH (REAR)	G - WIDTH (FRONT)
20-1/4"	11-3/8"	16-3/4"	8" x 4" min.	2-5/8"	20"	29"



FACEPLATE	DIMENSIONS				
	A - MINIMUM INSTALL WIDTH	B - MINIMUM INSTALL HEIGHT	C - MINIMUM INSTALL DEPTH	D - MINIMUM REAR WIDTH	E - TAPER DEPTH
Regular Faceplate	28-7/16"	20-1/4"	16-11/16"	20"	2-13/16"
Regular Faceplate w/ Backing Plate	30-7/8"	21-7/16"	16-3/4"	20"	2-11/16"
Regular Faceplate w/ Premium Surround	28-7/16"	20-1/4"	16-5/8"	20"	2-5/8"
Regular Faceplate w/ Premium Surround and Backing Plate	30-7/8"	21-7/16"	16-1/2"	20"	2-1/2"
Flush Faceplate	30"	21-1/16"	17-15/16"	20"	3-7/8"
Flush Faceplate w/ Backing Plate	30-7/8"	21-7/16"	17-13/16"	20"	3-3/4"
4-Sided Flush Faceplate	30"	21-5/16"	17-15/16"	20"	3-7/8"
Finishing Trim	30"	21-1/16"	18"	20"	3-15/16"
Finishing Trim w/ Backing Plate	30-7/8"	21-7/16"	17-7/8"	20"	3-7/8"
4-Sided Finishing Trim	30"	21-5/16"	18"	20"	3-15/16"
Flush Faceplate w/Traditional Surround	28-7/16"	20-1/4"	15-15/16"	20"	1-7/8"

DISCLAIMER: Please refer to the manual for the latest up to date installation details.